

Work Order ID 85856

Friday, June 15, 2012 2:41:35 PM

85856

Ship Monday?
Page 1

Item ID: D412-702-027
Revision ID: ~~U/X~~ OK 12/06/18
Item Name: 4-Man Side Facing Shoulder Harness, 4 point

Accept

N900040100

Setup Start ***NS1***

Stop ***NS2***

Start Date: 6/18/2012 Start Qty: 1.00 ***1***

Required Date: 6/22/2012 Req'd Qty: 1.00 ***1***

Cust Item ID:

Customer:

Reference:

Approvals: Process Plan: *MF* Date: *12-06-15* Tooling:

QC: Date: SPC (Y/N):

Date:

Date:

Run Start ***NR1***

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

IIN-D412-702	E
--------------	---

100

100

DC

Document Control

DOCUMENT CONTROL

Memo

Photocopy bluefile and create labels per PPP D412-702-027 CHG002

0.00

0.00

110

110

Packaging

Packaging

Pick Kit

Memo

0.00

0.00

120

120

QC

Quality Control

QC4- 100% Inspect kits for completeness

Memo

0.00

0.00

ML 12/06/18

12/6/18
[Signature]

[Signature]

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 85856***85856***

Page 2

Friday, June 15, 2012 2:41:35 PM

Item ID: D412-702-027

Accept

N900040100Setup Start ***NS1***

Revision ID: U/R

Item Name: 4-Man Side Facing Shoulder Harness, 4 point

Stop ***NS2***

Start Date: 6/18/2012 Start Qty: 1.00

1

Cust Item ID:

Required Date: 6/22/2012 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

0.00

130

Packaging

Packaging

Memo

0.00

Packaging

Identify and pack for shipping per PPP D412-702-027

Location: 51 Rec B

1x

SP
12-6-18

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.00

Quality Control

MCJ 12/06/18

mf
1206-18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Friday, June 15, 2012 2:41:35 PM

Page 1

Work Order ID: 85856

Parent Item: D412-702-027

Parent Item Name: 4-Man Side Facing Shoulder Harness, 4 point

Start Date: 6/18/2012

Required Date: 6/22/2012

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP A05.09.01 New issue KJ/JLM
 IPP Rev: B06.04.03 As per DSI9324 JLM
 IPP Rev: C As per DSI9351 07-03-14 JLM
 IPP Rev: D 07-07-28 As per Rev E JLM Verified By: EC
 IPP Rev: E Remove Manufact 08-05-13 JLM Verified By: DD
 IPP Rev F 11.05.31 dsi 9559 EC verified by: JLM
 list EC verified by: JLM
 IPP Rev G 11.06.01 revised pick

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4337-041 Harness Assembly		Manufactured	No			110	Each	11.0000	4	4			

Location Loc Qty Loc Code

quar 5
 72273 5
 ST263 6
 82144 3
 84109* 3

D412-702-069

Grommet

Manufactured No

110 Each 2.0000

Location Loc Qty Loc Code

FG125 2
 82596 2

D3196-3

Bar

Manufactured No

110 Each 4.0000

Location Loc Qty Loc Code

ST260 4
 80816 4

D3196-4

Bar

Manufactured No

110 Each 4.0000

Location Loc Qty Loc Code

ST260 4
 81537 4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Friday, June 15, 2012 2:41:35 PM

Page 2

Work Order ID: 85856

Parent Item: D412-702-027

Parent Item Name: 4-Man Side Facing Shoulder Harness, 4 point

Start Date: 6/18/2012

Required Date: 6/22/2012

Start Qty: 1.00

Required Qty: 1.00

D3551-11
Hook and Loop Tie

Manufactured No

110 Each 5.0000

4 4

Location

Loc Qty

Loc Code

ST246A

5

81879

5

MS24694-S152
Screw

Purchased No

110 Each 46.0000

6 6

Location

Loc Qty

Loc Code

ST290

46

116440

1

119108

10

120731

18

121444

17

MS24694-S154
SCREW

Purchased No

110 Each 30.0000

6 6

Location

Loc Qty

Loc Code

ST289A

3

120498

3

ST290

27

119022

4

121068

23

12/6/12
SP

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

QTY -021	QTY -023	QTY -025	QTY -027	QTY -029	QTY -035	Part Number	Description
X						D412-702-021	Dart 13-Man Shoulder Harness Kit, 4-point
	X					D412-702-023	Dart 5-Man Forward Facing Shoulder Harness Kit, 4-point
		X				D412-702-025	Dart 4-Man Aft Facing Shoulder Harness Kit, 4-point
			X			D412-702-027	Dart 4-Man Side Facing Shoulder Harness Kit, 4-point
				X		D412-702-029	Dart 1-Man Forward Facing Shoulder Harness Kit, 4-point
					X	D214-702-035	Dart 5-Man Aft Facing Shoulder Harness Kit, 4-point, for Bell 214B/B-1
1	1		1	1		D412-702-069	GROMMET KIT
2	2					D3195-041	BRACKET
2	2					D3195-043	BRACKET
1	1			1		D3196-1	BAR
1			1			D3196-3	BAR
1			1			D3196-4	BAR
2	2					D3197-041	BAR
4		4				D3198-1	FITTING
2	2					D3268-1	PLACARD
9	5		4	1		D3446-041	HARNESS ASSEMBLY, 4 POINT
4		4				D3446-043	HARNESS ASSEMBLY, 4 POINT
					5	D3446-045	HARNESS ASSEMBLY, 4 POINT
13	5	4	4	1	5	D3551-11	HOOK AND LOOP TIE
2	2					D3546-1	CLIP
4		4				AN4-5A	BOLT
4	4					AN4-13A	BOLT
8		8				AN4-20A	BOLT
20		20				AN960JD416	WASHER (OR NAS1149D0463J)
12		12				MS21042L-4	NUT (OR MS21042-4)
8	2		6	2		MS24694-S152	SCREW
8	2		6	2		MS24694-S154	SCREW

QTY -069	Part Number	Description
X	D412-702-069	GROMMET KIT
24	D3619-2	GROMMET
1	D3619-2T1	HOLE PUNCH
1	D3619-2T2	STRIKER BLOCK
1	D3619-2T3	PUNCH
1	D3619-2T4	DIE

DART SERVICE INSTRUCTION


TO AMEND IIN-D412-702-1 REV. A,
AND ICA-D412-702 REV. 4 OR EARLIER APPROVED REVISIONS
REF. TCCA STC: SH04-7
REF. FAA STC: SR01997NY
REF. EASA STC: EASA.IM.R.S.00710

PURPOSE

The purpose of this DSI is to outline the replacement of existing D3446-041/-043 Shoulder Harnesses with the new and improved D4387-041/-043 Shoulder Harnesses.

CHANGE

For the following Kits, the D4387-041 and D4387-043 Shoulder Harnesses respectively replace the D3446-041 and D3446-043 Shoulder Harnesses as follows:

Old Harness P/N	Used On	New Harness P/N	Effectivity
D3446-041	D412-702-021		CHG 003 and subsequent
	D412-702-023		
	D412-702-027		CHG 002 and subsequent
	D412-702-029		
D3446-043	D412-702-021	D4387-043	CHG 003 and subsequent
	D412-702-025		CHG 002 and subsequent






Customers who want to upgrade their shoulder harnesses may replace their existing D3446-041/-043 with D4387-041/-043 per this service instruction.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 11.05.09
CERT. NO.: SH04-7
ISSUE NO.: 3

A	NEW ISSUE	MB	11.05.09
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9559	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		HARNESS CHANGE	NTS
DATE	11.05.09	<small>COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	